

BROCHURE

CONSTRUCTION SOLUTIONS


English Edition


Technical Mechanical Services

 **MTG**
OFFICIAL DEALER

MTG IN NUMBERS

With more than 60 years experience, at MTG we are specialists in the design and manufacture of high quality ground engaging solutions in earth-moving machinery. Our distribution network of more than 400 dealers, based on long-term relationships, lets us operate in more than 60 countries all over the world.




SOLUTIONS WE PROVIDE

MTG gained a solid reputation in the Construction, Mining and Dredging industries by constantly challenging market standards and answering customer demands. Our deep knowledge in wear solutions has positioned us as a G.E.T. specialist, for our MTG branded products and for leading OEMs, providing custom-built solutions to satisfy their needs.



**CONSTRUCTION
SOLUTIONS**



**MINING
SOLUTIONS**



**DREDGING
SOLUTIONS**



**OEM
SOLUTIONS**

INNOVATION: OUR COMPETITIVE ADVANTAGE

As one of MTG's core values, innovation has always been a key strategy for providing solutions with added value. According to our corporate claim "No limits innovation", MTG's in-house engineering teams and innovation cells continuously challenge the present in terms of product design and production technology.

With a cross-cutting corporate culture and steady investments in innovation, MTG collaborates with external technological partners such as universities and laboratories, with the aim of analysing other industry trends and considering out-of-the-box insights.



OUR STRENGTHS, YOUR BENEFITS

Each application and site conditions require specific G.E.T. solutions to ensure safety, reliability, durability and the utmost performance in operating efficiency. To meet our end users needs, MTG has established a holistic approach consisting of various product and service-oriented strengths.

It is not what we say, but what our customers say about us.



HIGHER
PRODUCTIVITY



LONGER
OPERATIONAL TIME



MAXIMUM
RELIABILITY



FASTER AND
SAFER DOWNTIMES

A TOOTH FOR EACH APPLICATION

- We provide a wide range of products, making your machine more efficient as a result. The reason for this is that each tooth is specifically designed for each application, depending on the level of penetration, abrasion and impact required.
- The optimal wear material ratio of each of our teeth designs make them last longer, improving your machine's performance and reducing the operating costs.

DESIGNS

- The self-sharpening designs allow our G.E.T. a high degree of penetration during all their wear life.
- Teeth are designed to increase the adapters' protection, minimising the need for repairs.

SPECIALISED TECHNICAL SUPPORT

- Our Technical Support Engineers will assist you to better configure your full-bucket protection for minimum blade exposure to impacts and abrasions.

MTG STEELS

- Our steels are designed to withstand the highest levels of mechanical stress and have proved robustness and resistance, even in the most demanding applications.
- The low level of impurities and the structure developed using specific heat treatments, optimise hardness/toughness ratio, avoiding breakages.


LOCKING SYSTEM

- Our hammerless locking systems provide excellent retention, avoiding tooth loss.
- The assembly and disassembly of teeth is quick and safe thanks to our hammerless locking system, which provides the utmost in safety and efficiency while performing our product's routine changeouts.



TABLE OF CONTENTS

EXCAVATORS AND LOADERS



Machine Models	6
MTG Systems <i>STARMET</i>	7
Testimonials	9
MTG Systems <i>PROMET</i>	10
MTG Plus Shrouds	11
MTG Systems <i>KINGMET</i>	12
MTG Plus Teeth	13

BULLDOZERS



Machine Models	14
MTG Systems <i>RIPMET</i>	15
MTG Plus Teeth	15

EXCAVATORS AND LOADERS



At MTG we provide complete wear solutions for both excavator and loader buckets with a broad range of adapters, teeth and edge protection for a wide assortment of machine models.

Machine Models

Excavators



	10 - 20 t	21 - 40 t	41 - 90 t	100 - 150 t	150 - 250 t
CATERPILLAR ⁽¹⁾	313F 318F 318F L	320/GC 330/GC 336 340	352F 374F L 390F L	CAT6015B	CAT6020B
TEREX ⁽¹⁾	-	-	-	RH40	RH90
HITACHI ⁽¹⁾	ZX120-5 ZX160LC-5 ZX180LC-5	ZX210LC-5 ZX290LC-5 ZX350LC-5	ZX470LC-5 ZX670LC-5 ZX870LC-5	EX1200-7	EX1900-6
KOMATSU ⁽¹⁾	-	-	-	PC1250-11	PC2000-8

Loaders

	30 - 35 t	45 - 55 t	75 - 85 t	90 - 120 t	130 - 220 t
CATERPILLAR ⁽¹⁾	980M	988K	990K	992k	CAT993k
KOMATSU ⁽¹⁾	-	WA600	-	WA800 WA900	WA1200-6
LE TOURNEAU ⁽¹⁾	-	-	-	LT950	L-1150 L-1350

⁽¹⁾ See the Notes section on the back cover.

MTG Systems *STARMET* is a tooth-adaptor system with a hammerless locking, which its numerous benefits provide increased efficiency and maximum reliability for excavators and loaders in construction sites and quarries.



BILATERAL LOCKING SYSTEM

1. Hammerless conical pin for an easier extraction.
2. Standard shaped square hole.
3. MTGtwist retainer made of ElastoMet and polyurethane.
4. Plug to prevent the square hole becoming filled with soil, saving cleaning time during disassembly.



**SELF-SHARPENING
DESIGN**



**WIDE RANGE
OF DESIGNS**



**OPTIMAL
WEAR RATIO**



**HAMMERLESS
LOCKING**



Product Range

TEETH AND ADAPTERS

 <p>The grid displays 24 different types of excavator teeth and adapters, arranged in four rows of six. Each item is shown in a 3D perspective view above its label. The items are: Row 1: E (Extra), EX (Extra X), ES (Extra Short), U (Universal), P (Penetration), F (Flared). Row 2: V (Vector), VC (Vector Coal), C (Coal), W (Double Vector), S (Standard), I (Impact). Row 3: A (Abrasion), AX (Abrasion X), L (Long), D (Delta), H (Heavy), WN (Weld-on nose). Row 4: UC (Universal Central), WC (Central), WRD (Delta), WLD (Delta), WC/M (Central with mechanical wear cap), WRD/M (Delta with mechanical wear cap), FC (Flush Central).</p>	E Extra	EX Extra X	ES Extra Short	U Universal	P Penetration	F Flared
V Vector	VC Vector Coal	C Coal	W Double Vector	S Standard	I Impact	
A Abrasion	AX Abrasion X	L Long	D Delta	H Heavy	WN Weld-on nose	
UC Universal Central	WC Central	WRD WLD Delta	WC/M Central with mechanical wear cap	WRD/M WLD/M Delta with mechanical wear cap	FC Flush Central	

OTHER PRODUCTS

		
HD Reinforced wear bottom leg	M/M-A Mechanical wear cap	MS/MS-A Straddle mechanical wear cap

ACCESSORIES

		
MTGtwist locking system	Metallic locking system for hot slag applications	Removal Tool

Testimonials

Higher productivity and durability



Machine: HITACHI⁽¹⁾ ZX 850
System: MTG Systems *STARMET*
Terrain: Limestones and quartz
Location: Ireland



Context

Working in limestone and quartz applications.

Results

Increased durability, safety and great tooth reliability, with no breakages.

“The hammerless locking system improves the safety and reliability of teeth, being the main advantage of MTG Systems *STARMET* teeth.” ⁽²⁾

Increased performance even in applications with high impact and abrasion



Machine: LIEBHERR⁽¹⁾ R970SME
System: MTG Systems *STARMET* and MTG Systems *PROMET*
Terrain: Granite
Location: Germany



Context

Excavators working in granite terrain, with high impact and abrasion levels.



Results

The teeth's high degree of penetration and the lack of breakages improve productivity and reduce stoppage time of the machines.

“We are extremely satisfied with MTG and all of our machines are equipped with MTG.” ⁽²⁾

⁽¹⁾⁽²⁾ See the Notes section on the back cover.

MTG Systems *PROMET* is our G.E.T. bucket protection system for the construction industry. *PROMET*'s range of mechanical wing and lip shrouds, along with our teeth and adapters, offer a full bucket solution for loaders and excavators.



LATERAL LOCKING SYSTEM

1. Weldable bases.
2. MTGtwist hammerless pin.
3. MTGtwist retainer made of ElastoMet and polyurethane.
4. Plug to prevent the square hole becoming filled with soil, saving cleaning time during disassembly.



LIP LOCKING SYSTEM

- A. Locking assembly, composed of:
1. Mechanical block.
 2. Retention plate.
 3. Fixation bolt.
 4. Plug to prevent the bolt hole becoming filled with dust.
- B. Weld-on base.



**ROBUST
AND RESISTANT**



**OPTIMAL
WEAR RATIO**



**HAMMERLESS
LOCKING**

Product Range

MECHANICAL WING AND LIP SHROUDS



U

Wing shroud



UX

"Heavy" wing shroud



C

Central Lip shroud



L

Delta Left



R

Delta Right

ACCESSORIES



UWB

Weld-on base for wing shrouds



UWBX

Weld-on base for "Heavy" wing shrouds



WB-B

Weld-on base for lip shrouds



MTGtwist locking system for wing shrouds



Locking assembly for lip shrouds



Removal Tool



MTG Plus is an alternative products category of adaptable systems for excavators and loaders.

Product Range

WING, HEEL AND LIP SHROUDS



UL/ULX

Weld-on wing shrouds



ULH/ULHX

Weld-on heel shrouds



UC/URD/ULD

Weld-on lip shrouds





BC-A/BCX-A/BLD-A/ BLDX-A/BRD-A/BRDX-A

Bolt-on lip shrouds



MTG Systems *KINGMET* is a robust and resistant teeth-adapter system that offers productivity and versatility for excavators and loaders.



CONVENTIONAL LOCKING SYSTEM

1. Body.
2. Retainer.
3. Polyurethane.
4. ElastoMet.
5. Pin totally protected.



ROBUST AND RESISTANT



SELF-SHARPENING DESIGN



OPTIMAL WEAR RATIO



WIDE RANGE OF DESIGNS

Product Range

TEETH, ADAPTERS AND SHROUDS



E
Extra



EX
Extra X



U
Universal



P
Penetration



S
Standard



F
Flared



V
Vector



W
Double Vector



I
Impact



D
Delta



A
Abrasion



AX
Abrasion X



H
Heavy



L
Long



UC
Universal Central
/ Lower shovel



WC
Weld Center



**WN
WN HS**
Weld-on nose



**WC
HD/M**
Weld center with
mechanical shroud



FC
Flush Central



FC HS
Flush for hot slag



WC HS
Weld center for hot slag



FCC
Flush clamshell

ACCESSORIES



Standard Locking System



Hot Slag Locking System



Metallic Locking System



Removal Tool



MTG Plus is an alternative products category of adaptable systems for excavators and loaders.

Product Range

CATERPILLAR⁽¹⁾ SIDE PIN TEETH



S
Standard



U
Universal



F
Flared



P
Penetration



V
Vector



W
Double Vector



I
Impact



L
Long



D
Delta



H
Heavy



A
Abrasion



AX
Abrasion X

KOMATSU⁽¹⁾ SIDE PIN TEETH



E
Extra



S
Standard



V
Vector

⁽¹⁾See the Notes section on the back cover.

BULLDOZERS



Our systems provide bulldozers with a longer service life and optimum penetration in the most demanding applications.

Machine Models


Bulldozers

	30 - 35 t	45 - 55 t	75 - 85 t
CATERPILLAR ⁽¹⁾	D8T	D10T2	D11T/D11T CD
KOMATSU ⁽¹⁾	D155AX-8	D375A-6	D1475A-5

⁽¹⁾See the Notes section on the back cover.



MTG Systems *RIPMET* is a hammerless system for bulldozers in quarries, which provides a greater wear life and an excellent penetration.



MTGTWIST LOCKING SYSTEM FOR BULLDOZERS

1. Hammerless conical pin for an easier extraction.
2. Standard shaped square hole.
3. MTGtwist retainer made of ElastoMet and polyurethane.
4. Plug to prevent the square hole becoming filled with soil, saving cleaning time during disassembly.



ROBUST AND RESISTANT



SELF-SHARPENING DESIGN



OPTIMAL WEAR RATIO



HAMMERLESS LOCKING

Product Range

TEETH, ADAPTERS AND SHROUDS



AX
Abrasion X



PX
Penetration X



S
Standard



I
Impact



P
Penetration



V
Vector



WA
Adapter



WN
Weld-on nose



S2
Shroud

ACCESSORIES



MTGtwist locking system



Removal Tool



MTG Plus is an alternative products category of adaptable systems for bulldozers.

Product Range

CATERPILLAR⁽¹⁾ RIPPER TEETH



A
Abrasion



AX
Abrasion X



I
Impact



P
Penetration



S
Standard

⁽¹⁾ See the Notes section on the back cover.



Technical Mechanical Services

TMS UK

117 Stockport Road,
Marple Stockport,
Cheshire SK6 6AG
United Kingdom
Tel.: +44 161 427 8410
Fax: +44 161 427 8420
gavin.leigh@tms-uk.com



MTG

No limits innovation

MTG Headquarters

Carrer d'Àvila, 45
08005 Barcelona (Spain)
Tel.: (+34) 93 741 70 00
Fax: (+34) 93 752 15 74
info@mtg.es

MTG Corp.

12941 North Freeway Suite 610
Houston TX 77060 (USA)
Tel.: +1 (281) 872 1500
Fax: +1 (281) 872 1599
info@mtgcorp.us

mtgcorp.com

MTG Quality Certificates



(1) The brands identified in this document do not belong to METALOGENIA S.A. and this organization refers to them only to identify the destination of its products, without there being any relationship between METALOGENIA S.A. and the legitimate owners of any such brands. The review and product performance information included in this document were provided by the client and in no way represent or imply warranty of any kind. The performance of MTG products will vary depending on many conditions that in no case can be neither controlled nor certified by METALOGENIA S.A. (machine type and use, installation and assembly procedures, materials and conditions of wear, product misuse).

(2) METALOGENIA S.A. is the sole holder of the brands that identify its products. Similarly, METALOGENIA, S.A. holds all the industrial property rights that may be derived from its products, such as designs, utility models or patents. The unauthorized use thereof may constitute a violation of METALOGENIA S.A.'s industrial property rights. The brands identified with an asterisk do not belong to METALOGENIA S.A. and this organization refers to them only to identify the destination of its products, without there being any relationship between METALOGENIA S.A. and the legitimate owners of any such brands.